

# Typifications of *Rhynchospora hookeri* Boeck., *Rhynchospora longisetis* R. Br. and *Rhynchospora rubra* (Lour.) Makino (Cyperaceae)

Sangita Dey & Parigi Venkateswara Prasanna

## Abstract

DEY, S. & P. V. PRASANNA (2012). Typifications of *Rhynchospora hookeri* Boeck., *Rhynchospora longisetis* R. Br. and *Rhynchospora rubra* (Lour.) Makino (Cyperaceae). *Candollea* 67: 45-50. In English, English and French abstracts.

The names of *Rhynchospora hookeri* Boeck. and *Rhynchospora longisetis* R. Br. (Cyperaceae) are lectotypified, and the name of *Rhynchospora rubra* (Lour.) Makino is neotypified.

## Résumé

DEY, S. & P. V. PRASANNA (2012). Typifications de *Rhynchospora hookeri* Boeck., *Rhynchospora longisetis* R. Br. et de *Rhynchospora rubra* (Lour.) Makino (Cyperaceae). *Candollea* 67: 45-50. En anglais, résumés anglais et français.

Les noms *Rhynchospora hookeri* Boeck. et *Rhynchospora longisetis* R. Br. (Cyperaceae) sont lectotypifiés, et *Rhynchospora rubra* (Lour.) Makino est néotypifié.

## Key-words

CYPERACEAE – *Rhynchospora* – Typification

---

Addresses of the authors: DS: Central National Herbarium, Botanical Survey of India, Howrah, 711 103, India. E-mail: [sangitabsi@gmail.com](mailto:sangitabsi@gmail.com)

PVP: Deccan Regional Centre, Botanical Survey of India, Hyderabad, 500 048, India.

Submitted on June 28, 2010. Accepted on March 13, 2012.

Edited by P. Bungener